INDEX TO VOLUME 8

Key to abbreviations: *abs/comm* = abstract and commentary; *e* = editorial; *le* = letter; *p* = primer; *pi* = patient information.

SUBJECTS

Acupuncture
Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

ACE inhibitors
ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*

Acetaminophen
Management of acetaminophen hepatoxicity: a survey of practicing physicians, 8(6):25–32

Acute coronary syndrome
Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Advance directives
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Alternative medicine
Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Alzheimer's disease
High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5
Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Angina
Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*
Chronic stable angina: diagnosis and risk stratification, 8(5):45–59
Chronic stable angina: treatment and follow-up, 8(6):52–67
Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

Anticoagulation
Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*

Anxiety disorder
Anxiety disorder complicating chronic low back pain, 8(11):49–56
Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Appendectomy
Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*

Aspirin
Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Asthma
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42
Improving physician adherence to asthma guidelines, 8(3):35–46
Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

Atrial fibrillation
Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*

Back pain
Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*
An active and cost-conserving approach to the management of low back pain, 8(1):38–47
Anxiety disorder complicating chronic low back pain, 8(11):49–56
Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*

Bacteremia
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Benchmarking
Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

β Blockers
Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*

Biological agents
Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Blood pressure
Blood pressure and mortality in very old patients, 8(7):15–6 abs/comm
High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*
Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*

Candidiasis
Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Cardiovascular disease
Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*
Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*
High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*
Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

Catheters
The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

Cervical cancer
Selecting a cervical cytology screening test—what are the issues? 8(3):29–32

Child abuse
Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

Chronic fatigue syndrome
A 35-year-old woman with somatic complaints, 8(9):49–59
Patient education improves physical function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*

Consultation, subspecialty
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Coronary artery disease
Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*
Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*
Chronic stable angina: diagnosis and risk stratification, 8(5):45–59
Chronic stable angina: treatment and follow-up, 8(6):52–67
High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*
Prognostic value of coronary artery calcification, 8(11):42–8
Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*
Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

INDEX TO VOLUME 8

Coronary calcium
Prognostic value of coronary artery calcification, 8(11):42–8

Critical pathways
Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*
Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18–9 *abs/comm*

Decision aids
Impact of a decision aid for hormone replacement therapy, 8(11):12–3 *abs/comm*

Deep venous thrombosis
Outpatient management of acute deep venous thrombosis, 8(12):62–71
The Lovelace outpatient treatment program, 8(12):64–8 *p*

Dementia
Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*
Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*
Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*

Depression
Cost-utility of depression screening, 8(4):11–2 *abs/comm*
Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*

Diabetes
Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*
Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*
Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*
Development and implementation of a standardized sliding scale insulin protocol, 8(11):31–6
Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*
New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*
Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*
Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9

Diet
Cardiovascular benefits of a low fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*
Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*
Protective effect of fruits and vegetables against coronary heart disease, 8(9):15–6 *abs/comm*
Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

Disease management
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42
Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*
Congestive heart failure disease management, 8(12):23–4 *abs/comm*
Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–49
Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Dopamine
Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*

Epoetin alfa
Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Ethics
Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8

Exercise
Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*
Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

Falls
Falls in older adults: assessment and intervention in primary care, 8(3):48–57
Preventing falls, 8(3):54 *pi*

Fibromyalgia
A 35-year-old woman with somatic complaints, 8(9):49–59
Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Functional somatic syndromes
A 35-year-old woman with somatic complaints, 8(9):49–59

Gastrointestinal bleeding
Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*

Geriatric assessment
Assessment of the geriatric patient: a practical approach, 8(7):35–40

Glucosamine
Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*

Glycoprotein IIb/IIIa
Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

Guidelines
Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*
Improving physician adherence to asthma guidelines, 8(3):35–46
Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*
Talking about clinical practice guidelines: how much shold patients be told? 8(8):26–8
Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*

Headache
ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*
Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9
Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

Heart failure
Congestive heart failure disease management, 8(12):23–4 *abs/comm*
Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9
Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*
Improving heart failure outcomes through specialist nurse intervention, 8(12):19–20 *abs/comm*

Hip arthroplasty
Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*

Hip fracture
Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*
Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

HIV
Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*

Home visits
Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41
Is the nurse responsible for resource use in home health care? 8(12):29–35

Hormone replacement therapy
Impact of a decision aid for hormone replacement therapy, 8(11):12–3 *abs/comm*
Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*

Hypercholesterolemia
Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*
High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*
Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

Hypertension
High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*
High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*
Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*
Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*
New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*
Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

Hypothyroidism
Should we be screening for thyroid disease? 8(9):27–32

Immunization
A project to improve influenza vaccination rates, 8(5):36 *le*
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Immunoglobulin
Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*

Inflammatory bowel disease
Ulcerative colitis: diagnosis and management, 8(9):40-8

Influenza
A project to improve influenza vaccination rates, 8(5):36 *le*
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5
Zanamivir reduces respiratory complications in patients with influenza, 8(1):15–6 *abs/comm*

Insulin
Development and implementation of a standardized sliding scale insulin protocol, 8(11):31–6
Inhaled human insulin for patients with type 2 diabetes, 8(3):10 *abs/comm*

Interstitial cystitis
A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42–5, 47–51
Self-help for interstitial cystitis, 8(7):46 *pi*

Interview, medical
Evidence-based patient-centered interviewing, 8(7):28–34

Kidney disease
Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Length of stay
Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*
Early discharge may benefit patients with infections, 8(3):9 *abs/comm*

Lipid lowering
Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*
Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*
Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

Mammography
Do reminders improve mammography screening rates? 8(11):16–7 *abs/comm*

Massage therapy
Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*

Mechanical ventilation
Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

Medical errors
Preventing misuse errors in health care organizations, 8(8):29–33

Medical information systems
Computerized physician order entry: is additional time required? 8(9):9–10 *abs/comm*
Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27–9

Microalbuminuria
New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*

Migraine
ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*
Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9
Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

Misuse
Preventing misuse errors in health care organizations, 8(8):29–33

Multiple sclerosis
Treatment of multiple sclerosis, 8(4):47–54

Myocardial infarction
Critical pathways for chest pain: adding efficiency to the evaluation, 8(11):18–9 *abs/comm*
Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*

Neuraxial blockade
Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*

Opioids
Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*
Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

Osteoarthritis
Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*
Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*
Medical management of osteoarthritis, 8(2):51–9

Pain management
An active and cost-conserving approach to the management of low back pain, 8(1):38–47
Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*
Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*

INDEX TO VOLUME 8

Panic disorder
Anxiety disorder complicating chronic low back pain, 8(11):49–56
Collaborative care for panic disorder, 8(11):10, 12 *abs/comm*

Patient information
Preventing falls, 8(3):54 *pi*
Self-help for interstitial cystitis, 8(7):46 *pi*

Patient satisfaction
Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Performance improvement
Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*
Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9
Providing individualized feedback to physicians to improve clinical efficiency, 8(9):11–2 *abs/comm*

Physician order entry
Computerized physician order entry: is additional time required? 8(9):9–10 *abs/comm*

Physician-patient communication
Evidence-based patient-centered interviewing, 8(7):28–34
Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

Physician reminders
Education reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*

Pneumonia, community-acquired
A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

Pregnancy
Antibiotics for PROM: few benefits, significant risks, 8(5):11–2 *abs/comm*
Best beginnings: an evidence-based program to prevent childhood injuries, 8(11):38–41

Prostate cancer
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Prostatitis
Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

Quality improvement
Preventing misuse errors in health care organizations, 8(8):29–33
Quality improvement: addressing patient treatment preferences in depression, 8(11):13–5 *abs/comm*
QUERI: translating research findings into improved patient care, 8(1):27–9
Refining JCOM's mission to support quality, 8(3):59–60 *e*

Renal dysfunction
Low-dose dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*
Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Revascularization
Revascularization versus medical therapy for elderly chronic angina patients, 8(11):16–7 *abs/comm*

Rheumatoid arthritis
Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Screening
Assessment of the geriatric patient: a practical approach, 8(7):35–40
Cost-utility of depression screening, 8(4):11–2 *abs/comm*
Do reminders improve mammography screening rates? 8(11):16–7 *abs/comm*
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5
Performance improvement interventions to improve delivery of screening services in diabetes care, 8(11):23–9
Prognostic value of coronary artery calcification, 8(11):42–8
Screening guideline adherence: clinic versus patient factors, 8(11):8–9, *abs/comm*
Selecting a cervical cytology screening test–what are the issues? 8(3):29–32

Sedation
Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):41–9

Smoking cessation
Intervening with the tobacco-dependent patient, 8(6):43–51

Somatic symptoms
A 35-year-old woman with somatic complaints, 8(9):49–59

Statins
Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*

Steroids
Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22
Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*

Stress management
Stress management therapy for hypertension, 8(7):14–5 *abs/comm*

Stroke
Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9

Tai chi
Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Telephonic screening
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Thiazolidinediones
Effect of thiazolidinediones on glycemia, 8(6): 11, 15 *abs/comm*

Thyroid disease
Should we be screening for thyroid disease? 8(9):27–32

Time trade-off
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Tobacco use
Intervening with the tobacco-dependent patient, 8(6):43–51

Transfusion
Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–17 *abs/comm*

Tube feeding
Tube feeding does not improve survival in patients with dementia, 8(4):17–18 *abs/comm*

Ulcerative colitis
Ulcerative colitis: diagnosis and management, 8(9):40-48

Ulcers, foot
Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*

Ulcers, peptic
Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*
Underuse
The care path not taken: the paradox of underused proven treatments, 8(12):39–51
Utilities
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22
Utilization
Education reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*
Is the nurse responsible for resource use in home health care? 8(12):29–35
Web-based electrocardiogram retrieval: does it reduce electrocardiography results? 8(5):27–9
Weight loss
Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*

AUTHORS

Abrahm J
Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8
Ainsworth VJ
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42
Algazy JI
Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9
Alter SJ
Use of antimicrobial agents for upper respiratory infections in children, 8(10):45–52
Artal R
The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23
Asch DA
Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9
Ault MJ
The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23
Axelrod RC
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42
Baker PD
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32
Bates DW
Refining JCOM's mission to support quality improvement, 8(3):59–60 *e*
Bédard M
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31
Bellini LM
Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9
Bernstein AB
A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44
Brandon TH
Intervening with the tobacco-dependent patient, 8(6):43–51
Brener SJ
Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45
Brown JW
Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32
Bundorf MK
Is the nurse responsible for resource use in home health care? 8(12):29–35
Bushnell CD
Migraine and risk of ischemic stroke: an evidence-based medicine review, 8(9):33–9
Cabana MD
Improving physician adherence to asthma guidelines, 8(3):35–46
Canaris G
Should we be screening for thyroid disease? 8(9):27–32
Caraballo PJ
Advantages of long-acting antianginal agents, 8(7):13–4 *abs/comm*
Anticoagulation for secondary prevention of heart disease, 8(8):12–3 *abs/comm*
Best method to heal neuropathic diabetic foot ulcers, 8(9):13–4 *abs/comm*
Blood pressure andmortality in very old patients, 8(7):15–6 *abs/comm*
Body size is a risk factor for percutaneous coronary intervention mortality, 8(10):20–1
Guidelines underused in patients hospitalized with unstable angina, 8(10):15, 19
High blood pressure and high cholesterol: risk factors for Alzheimer's disease, 8(8):13–4 *abs/comm*
High blood pressure in young men and long-term mortality, 8(9):14–5 *abs/comm*
Multidisciplinary treatment for low back pain, 8(8):11–2 *abs/comm*
Outcomes of acute myocardial infarction in disadvantaged populations, 8(10):19–20
Protective effect of fruits and vegatables against coronary heart disease, 8(9):15–6 *abs/comm*
Stress management therapy for hypertension, 8(7):14–5 *abs/comm*
Why don't pediatricians follow asthma guidelines? 8(12):11–2 *abs/comm*
Casarett DJ
Talking about clinical practice guidelines: how much should patients be told? 8(8):26–8
Chan AW
Appropriate use of glycoprotein IIb/IIIa blockade for unstable angina and non-ST segment elevation myocardial infarction, 8(4):33–45

INDEX TO VOLUME 8

Chenoweth CE
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Chetney RR
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

Coladonato JA
Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Collins MM
Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

Colón-Emeric CS
Falls in older adults: assessment and intervention in primary care, 8(3):48–57

Copeland AL
Intervening with the tobacco-dependent patient, 8(6):43–51

Corby ST
Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Datta SK
Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Demakis JG
QUERI: translating research findings into improved patient care, 8(1):27–9

Dubois S
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Dugan SA
An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Dwamena FC
Evidence-based patient-centered interviewing, 8(7):28–34

Fihn SD
Chronic stable angina: diagnosis and risk stratification, 8(5):37–44
Chronic stable angina: treatment and follow-up, 8(6):52–67

File TM Jr
A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

Fillit H
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Fontana RJ
Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Frost DA
An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Glick HA
Is the nurse responsible for resource use in home health care? 8(12):29–35

Goldszer RC
Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Gornbein J
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Goshorn RK
A 35-year-old woman with somatic complaints, 8(9):49–59

Hall JB
Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

Hanauer SB
Ulcerative colitis: diagnosis and management, 8(9):40–8

Helgerson SD
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Hill J
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Hirsh MJ
Medical management of osteoarthritis, 8(2):51–9

Hutchinson S
Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Inanici F
Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Jonas A
ACE inhibitors for migraine prophylaxis, 8(2):19–20 *abs/comm*
Aggressive lipid-lowering therapy for hypercholesterolemia, 8(4):19–20 *abs/comm*
Alternative medicine treatments for back pain: which work? 8(6):16, 21 *abs/comm*
Antibiotics for pPROM: few benefits, significant risks, 8(5):11–2 *abs/comm*
Cost-effectiveness of analgesics for acute pain management, 8(1):9–10 *abs/comm*
Early discharge may benefit patients with infections, 8(3):9 *abs/comm*
Educational reminder messages can prevent overutilization, 8(6):21–2 *abs/comm*
Fentanyl preferred to morphine for treatment of nonmalignant pain, 8(6):22–3 *abs/comm*
Inhaled human insulin for Type 2 diabetes, 8(3):10 *abs/comm*
Laparoscopic versus open appendectomy: is there a difference? 8(5):13–4 *abs/comm*
Long-term effects of glucosamine in osteoarthritis, 8(3):11–2 *abs/comm*
Low-dose Dopamine in patients with renal dysfunction: no benefit, 8(2):22–3 *abs/comm*
Patient education improves physicial function in chronic fatigue syndrome, 8(4):18–9 *abs/comm*
Psychostimulants for fatigue in HIV patients: how useful? 8(4):21–2 *abs/comm*
Rehabilitation after hip fracture in patients with dementia, 8(1):10–1 *abs/comm*
Rhythm or rate control in atrial fibrillation: which is better? 8(1):12–3 *abs/comm*
Short-term use of low-dose estrogen and cardiac events, 8(2):20–1 *abs/comm*
Therapeutic effect of doctor-patient relationships, 8(5):12–3 *abs/comm*

Kavsak H
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Kefalides PT
Ulcerative colitis: diagnosis and management, 8(9):40–8

Kerzner R
Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Khan O
Treatment of multiple sclerosis, 8(4):47–54

Kileen MJ
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Kinosian BP
Is the nurse responsible for resource use in home health care? 8(12):29–35

Koretz BK
Assessment of the geriatric patient: a practical approach, 8(7):35–40

Kress JP
Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

Krupinski JA
Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Lein C
Evidence-based patient-centered interviewing, 8(7):28–34

Lewis BE
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Lewis TC
Improving physician adherence to asthma guidelines, 8(3):35–46

Lipsky BA
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Litwin MS
Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Lodewick M
Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

Lozada CJ
Medical management of osteoarthritis, 8(2):51–9

Lyles JS
Evidence-based patient-centered interviewing, 8(7):28–34

Markham MA
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

Markowitz JS
A tool for appropriate antibiotic use in the management of community-acquired pneumonia, 8(5):37–44

McCleave SH
How to respond to a formal patient complaint, 8(10):35–42

McInerney MJ
Self-reported and claims-based influenza immunization rates for medicare beneficiaries in Montana and Wyoming, 1995, 8(5):31–5

McQueen L
QUERI: translating research findings into improved patient care, 8(1):27–9

Medina CE
Assessing patient satisfaction on a general medicine service: utility of an on-site survey, 8(7):21–5

Mills CS
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Misischia RJ
Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Mohs RC
Improving early recognition of Alzheimer's disease: a review of telephonic screening tools, 8(8):41–5

Molloy DW
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Moore AA
Assessment of the geriatric patient: a practical approach, 8(7):35–40

Moreland LW
Use of biological agents in the treatment of rheumatoid arthritis, 8(12):54–60

Murff HJ
Excluding pulmonary embolism without diagnostic imaging, 8(10):11–2 *abs/comm*
Hospital performance improvement efforts: what works? 8(9):10–1 *abs/comm*
Sumatriptan for patients with migraine: a cost-effectiveness analysis, 8(12):22–3 *abs/comm*

Myers ER
Selecting a cervical cytology screening testæwhat are the issues? 8(3):29–32

Nanda K
Selecting a cervical cytology screening testæwhat are the issues? 8(3):29–32

Nehra A
A project to improve influenza vaccination rates, 8(5):36 *le*

Ng PK
The changing use of peripherally inserted central catheters: a review of 5000 insertions at a single hospital, 8(9):17–23

Nickel JC
Development and use of a validated outcome measure for chronic prostatitis, 8(1):30–7

Owen WF Jr
Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Persell SD
Computerized physician order entry: is additional time required? 8(9):9–10 *abs/comm*
Improving heart failure outcomes through specialist nurse intervention, 8(12):19–20 *abs/comm*
Prenatal house calls for high-risk pregnancies? 8(10):21–2

Peters KM
A 38-year-old woman with urinary frequency, urgency, and pelvic pain, 8(7):42–5, 47–51

Peterson JF
Impact of guidelines for peptic ulcer disease management, 8(12):15,19 *abs/comm*

Plorde JJ
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Pohlman AS
Effects of sedative interruption in critically ill, mechanically ventilated patients receiving midazolam or propofol, 8(2):33–9

Polsky D
Is the nurse responsible for resource use in home health care? 8(12):29–35

Poon E
Exercise programs prevent disability in elderly patients with knee osteoarthritis, 8(12):12,15 *abs/comm*

Quallich LG
Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Resar RK
Medication safety: one organization's approach to the challenge, 8(10):27–34

INDEX TO VOLUME 8

Rice EA
A 35-year-old woman with somatic complaints, 8(9):49–59

Rich MW
Does multidisciplinary management of chronic heart failure improve clinical outcomes? 8(2):41–9

Rosenson RS
Managing the hypercholesterolemic patient: when statins are not enough, 8(8):47–55

Rozich JD
Medication safety: one organization's approach to the challenge, 8(10):27–34

Russo R
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Sabol J
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42

Saigal C
Patient utilities for complications do not predict treatment choice in men with clinically localized prostate cancer, 8(8):17–22

Saint S
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Scalzi CC
Is the nurse responsible for resource use in home health care? 8(12):29–35

Schwartz S
Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Shehab TM
Management of acetaminophen hepatotoxicity: a survey of practicing physicians, 8(6):25–32

Silverman DC
The care path not taken: the paradox of underused proven treatments, 8(12):39–51

Smith RC
Evidence-based patient-centered interviewing, 8(7):28–34

Spyropoulos AC
The Lovelace outpatient treatment program, 8(12):64–8 *p*

Stiller A
Development and evaluation of a new instrument that measures barriers to implementing advance directives, 8(4):26–31

Sullivan KP
An active and cost-conserving approach to the management of low back pain, 8(1):38–47

Sutton PR
Chronic stable angina: diagnosis and risk stratification, 8(5):37–44
Chronic stable angina: treatment and follow-up, 8(6):52–67

Szczech LA
Strategies to enhance detection and treatment of unrecognized chronic kidney disease, 8(8):34–40

Tapson VF
Outpatient management of acute deep venous thrombosis, 8(12):62–71

Tilles SA
Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

Tonneau B
Are critical pathways effective in shortening hospital stay? 8(4):12–3 *abs/comm*
Can pravastatin reduce risk of diabetes? 8(3):14–5 *abs/comm*
Can statins reduce risk of dementia? 8(1):13–4 *abs/comm*
Cardiovascular benefits of a low-fat diet: evidence still inconclusive, 8(5):22–3 *abs/comm*
Cardiovascular events in diabetic women who exercise, 8(3):15, 18 *abs/comm*
Coated aspirin does not confer benefit, 8(5):16, 21 *abs/comm*
Congestive heart failure disease management, 8(12):23–4 *abs/comm*
Cost-utility of depression screening, 8(4):11–2 *abs/comm*
Effect of thiazolidinediones on glycemia, 8(6):11, 15 *abs/comm*
Epoetin alfa reduces need for transfusions in hip arthroplasty, 8(1):16–7 *abs/comm*
Home blood pressure monitoring: does it improve control? 8(7):11–2 *abs/comm*
Immunomodulating therapy for heart failure, 8(3):12–3 *abs/comm*
Low-salt diet controls hypertension in older patients, 8(5):14–6 *abs/comm*
Neuraxial blockade reduces postoperative complications, 8(2):11, 15 *abs/comm*
New treatment options for diabetic patients with hypertension and microalbuminuria, 8(2):15, 19 *abs/comm*
Providing individualized feedback to physicians to improve clinical efficiancy, 8(9):11–2 *abs/comm*
Tube feeding does not improve survival in patients with dementia, 8(4):17–8 *abs/comm*
Two shakes and a sensible dinner, 8(8):14–6 *abs/comm*
Visiting nurses may cost-effectively reduce falls in the elderly, 8(10):12,14
Zanamivir reduces respiratory complications in patients with influenza, 8(1):15–6 *abs/comm*

Traber KB
Web-based electrocardiogram retrieval: does it reduce electrocardiography orders? 8(5):27–9

Tselis AC
Treatment of multiple sclerosis, 8(4):47–54

Walter J
Chronic urticaria: diagnostic and therapeutic challenges, 8(10):53–9

Westfall L
Incidence and treatment cost of oral candidiasis among users of inhaled bronchial steroids, 8(1):19–22

Wilson CJ
Tai chi for the prevention of fractures in a nursing home population: an economic analysis, 8(3):19–27

Yetman RJ
Preventing misuse errors in health care organizations, 8(8):29–33
The care path not taken: the paradox of underused proven treatments, 8(12):39–51

Yunus MB
Fibromyalgia syndrome: diagnosis and management, 8(4):55–67

Zemencuk JK
The potential benefit of infectious diseases consultation in patients with community-acquired bacteremia, 8(2):25–32

Zimbro KS
A disease management program utilizing "life coaches" for children with asthma, 8(6):38–42